

# Divers

## Problèmes de démarrage de POSTGRESQL

```
chown -R postgres:postgres /var/lib/postgresql
chown -R postgres:postgres /etc/postgresql
chown -R postgres:postgres /var/log/postgresql
```

## Problèmes de LOGO

voir les infos dans les logs du postgresql

```
select id,content_type,lo_id from stored_files;
ALTER LARGE OBJECT 131963 OWNER to cyclos;
```

## Corriger les droits POSTGRESQL

```
for tbl in `psql -qAt -c "SELECT proname FROM pg_proc WHERE pronamespace::regnamespace::text = 'public';" cyclos4` ; do psql -c "alter function \"${tbl}\" owner to cyclos" cyclos4 ; done
```

```
for tbl in `psql -qAt -c "select tablename from pg_tables where schemaname = 'public';" cyclos4` ; do psql -c "alter table \"${tbl}\" owner to cyclos" cyclos4 ; done
```

```
for tbl in `psql -qAt -c "select sequence_name from information_schema.sequences where sequence_schema = 'public';" cyclos4` ; do psql -c "alter sequence \"${tbl}\" owner to cyclos" cyclos4 ; done
```

```
for tbl in `psql -qAt -c "select table_name from information_schema.views where table_schema = 'public';" cyclos4` ; do psql -c "alter view \"${tbl}\" owner to cyclos" cyclos4 ; done
```

```
GRANT ALL PRIVILEGES ON ALL TABLES IN SCHEMA public TO cyclos;
GRANT ALL PRIVILEGES ON database cyclos4 TO cyclos;
GRANT ALL PRIVILEGES ON ALL SEQUENCES IN SCHEMA public TO cyclos;
ALTER DATABASE cyclos4 OWNER to cyclos;
```

## Pb de réinitialisation de la license cyclos :

```
update application set license_key = null, license_data = null, local_license_data = null;

update password_types set avoid_obvious = false where id = 1;

update configurations set required_address =false;
```

## Restore la base SQL cyclos :

Copier le dump sql dans le /tmp

```
su - postgres
psql
cyclos4# drop database cyclos4;
cyclos4# create database cyclos4;
cyclos4# exit
psql -d cyclos4 -f /tmp/cyclos4-202101280300.sql
psql -d cyclos4
cyclos4#delete from database_lock;
```

## Problème de démarrage de Cyclos suite à un arrêt inopiné :

```
[2021-12-28 17:32:13] [info]
*****
[2021-12-28 17:32:13] [info] It seems there is another Cyclos instance connected to this
database.
[2021-12-28 17:32:13] [info] If you are sure that is not the case (i.e., the server had
crashed),
[2021-12-28 17:32:13] [info] run the following command in the database, then restart Cyclos:
[2021-12-28 17:32:13] [info] delete from database_lock;
[2021-12-28 17:32:13] [info]
*****
```

## Purger la base du bugs des balances :

```
delete from public.closed_account_balances where date > '2021-09-21' ;
```

## Changer l'url par défaut :

```
cyclos4=# select id,root_url from configurations;  
cyclos4=# update configurations set root_url='https://cyclostest.guigeek.org' where id=1;  
UPDATE 1  
cyclos4=# update configurations set root_url='https://cyclostest.guigeek.org' where id=2;  
UPDATE 1  
cyclos4=# update configurations set root_url='https://cyclostest.guigeek.org' where id=5;  
UPDATE 1  
cyclos4=# update configurations set root_url='https://cyclostest.guigeek.org' where id=6;  
UPDATE 1  
cyclos4=# update configurations set root_url='https://cyclostest.guigeek.org' where id=7;
```

## Purge database :

```
delete from accountbalances where accountid in (select id from accounts where user_id in  
(select id from users where status = 'PURGED'));  
delete from accounts where user_id in (select id from users where status = 'PURGED');  
delete from userstatuslogs where user_id in (select id from users where status = 'PURGED');  
delete from messagestousers where user_id in (select id from users where status = 'PURGED');  
delete from adhistorylogs;  
delete from notifiedadinterests;  
delete from ads where owner_id in (select id from users where status = 'PURGED');  
delete from users where status = 'PURGED';  
delete from entitypropertylogs;  
delete from entity_logs;
```

## Changer le mot de passe et le réinitialiser à 1234 :

```
update passwords set value='$2a$10$yM.uw9jC7C1DrRGUhqUc3eSR6FCJH0.HdDt3CJs8YL56iATHcXH7.'  
where id=1;
```

## Débloquer un utilisateur :

```
update passwords set blocked_until = NULL where id=1;
```

## Configuration

System -> Configurations

Expression régulière pour l'identifiant de connexion

```
^[w\.\@-_\]*$
```

Champs d'adresse obligatoire -> 0 Groupes possibles pour l'inscription publique

cyclostest

global

-> Thèmes

-> Default new frontend theme

## florain

-> logos

le vert #d7da23

le gris #70706f

on peut ajouter les couleurs dominantes des billets:

#a9dbf6

#54bcb4

#e46b9d

#f38e3c

#9bc43e

# Comment voir la liste des fonctions PGSQL :

```
SELECT proname,  
       proowner::regrole  
FROM pg_proc  
WHERE pronamespace::regnamespace::text = 'public';
```

## Functions PGSQL

fn_index_custom_field_value	cyclos
fn_create_geography	cyclos
fn_index_ad	cyclos
fn_index_user	cyclos
add_days	cyclos
add_interval	cyclos

fn_index_address	cyclos
balance_sum	cyclos
get_addresses_tsvector	cyclos
insert_tasks_reindex	cyclos
last_login	cyclos
name_hierarchy	cyclos
order_hierarchy	cyclos
reindex_network	cyclos
strip_html_tags	cyclos
to_geography	cyclos
unix_timestamp	cyclos
reserved_amount_diff	cyclos
account_balance	cyclos
balance_diff	cyclos
current_account_status	cyclos
close_account_balances	cyclos
rebuild_closed_account_balances	cyclos
update_account_status	cyclos
account_status_from_closing	cyclos
fix_inconsistent_account_balances	cyclos

## Code SQL pour corriger le owner des fonctions

```
ALTER FUNCTION fn_index_custom_field_value OWNER TO cyclos;
ALTER FUNCTION fn_create_geography OWNER TO cyclos;
ALTER FUNCTION fn_index_ad OWNER TO cyclos;
ALTER FUNCTION fn_index_user OWNER TO cyclos;
ALTER FUNCTION add_days OWNER TO cyclos;
ALTER FUNCTION add_interval OWNER TO cyclos;
ALTER FUNCTION fn_index_address OWNER TO cyclos;
ALTER FUNCTION balance_sum OWNER TO cyclos;
ALTER FUNCTION get_addresses_tsvector OWNER TO cyclos;
ALTER FUNCTION insert_tasks_reindex OWNER TO cyclos;
ALTER FUNCTION last_login OWNER TO cyclos;
ALTER FUNCTION name_hierarchy OWNER TO cyclos;
ALTER FUNCTION order_hierarchy OWNER TO cyclos;
ALTER FUNCTION reindex_network OWNER TO cyclos;
ALTER FUNCTION strip_html_tags OWNER TO cyclos;
ALTER FUNCTION to_geography OWNER TO cyclos;
```

```
ALTER FUNCTION unix_timestamp OWNER TO cyclos;
ALTER FUNCTION reserved_amount_diff OWNER TO cyclos;
ALTER FUNCTION account_balance OWNER TO cyclos;
ALTER FUNCTION balance_diff OWNER TO cyclos;
ALTER FUNCTION current_account_status OWNER TO cyclos;
ALTER FUNCTION close_account_balances OWNER TO cyclos;
ALTER FUNCTION rebuild_closed_account_balances OWNER TO cyclos;
ALTER FUNCTION update_account_status OWNER TO cyclos;
ALTER FUNCTION account_status_from_closing OWNER TO cyclos;
ALTER FUNCTION fix_inconsistent_account_balances OWNER TO cyclos;
ALTER FUNCTION last_account_closing OWNER TO cyclos;
ALTER FUNCTION update_balance OWNER TO cyclos;
ALTER FUNCTION close_balances OWNER TO cyclos;
ALTER FUNCTION last_closed_account_status OWNER TO cyclos;
ALTER FUNCTION account_status_from_cache OWNER TO cyclos;
ALTER FUNCTION insert_missing_balances OWNER TO cyclos;
ALTER FUNCTION inconsistent_closed_accounts OWNER TO cyclos;
ALTER FUNCTION last_closed_account_balances OWNER TO cyclos;
ALTER FUNCTION dirty_account_balances_diffs OWNER TO cyclos;
ALTER FUNCTION cached_account_status OWNER TO cyclos;
ALTER FUNCTION account_status_diffs_since_closing OWNER TO cyclos;
ALTER FUNCTION closed_account_status OWNER TO cyclos;
ALTER FUNCTION insert_missing_account_balances OWNER TO cyclos;
ALTER FUNCTION fix_inconsistent_account_balances OWNER TO cyclos;
ALTER FUNCTION fn_index_translation_message OWNER TO cyclos;
ALTER FUNCTION fn_update_last_balance_closing_date OWNER TO cyclos;
ALTER FUNCTION account_status OWNER TO cyclos;
```

---

Revision #2

Created 2023-11-17 22:44:33 UTC by Guigui

Updated 2023-11-17 22:54:02 UTC by Guigui